

L Number	Hits	Search Text	DB	Time stamp
-	5843	coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 12:31
-	93761	load\$4 near3 (data or instruction or address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 21:20
-	2127	coprocessor and (load\$4 near3 (data or instruction or address) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 21:20
-	511	coprocessor same (load\$4 near3 (data or instruction or address) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 15:10
-	325	(coprocessor same (load\$4 near3 (data or instruction or address) )) and operand	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 21:23
-	65	(coprocessor same (load\$4 near3 (data or instruction or address) )) and (word adj2 boundary)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 21:24
-	59	((coprocessor same (load\$4 near3 (data or instruction or address) )) and operand) and ((coprocessor same (load\$4 near3 (data or instruction or address) )) and (word adj2 boundary))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/15 17:12
-	2	"20020116580"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:44
-	388	align\$4 near operand	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 22:23
-	1	((coprocessor same (load\$4 near3 (data or instruction or address) )) and operand) and (((coprocessor same (load\$4 near3 (data or instruction or address) )) and (word adj2 boundary))) and (align\$4 near operand)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 13:42
-	12	coprocessor same (align\$4 near operand)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/14 22:25
-	142	operand same align\$4 near3 boundary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/15 17:13

-	30	coprocessor and load\$4 and (operand same align\$4 near3 boundary)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 12:59
-	1	usald	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/16 12:59
-	3137	variable near (length or number) same load\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:06
-	81	variable near (length or number) same load\$4 and coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:07
-	71	variable near (length or number) same load\$4 same boundar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:25
-	11	(variable near (length or number) same load\$4 and coprocessor) and (variable near (length or number) same load\$4 same boundar\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:08
-	683	variable near (length or number) same (data near word)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:26
-	51	load\$4 same (variable near (length or number)) same (data near word)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:29
-	3200	word near boundar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:29
-	8	(load\$4 same (variable near (length or number)) same (data near word)) and (word near boundar\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:41
-	6843	boundar\$4 near5 align\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 23:15
-	382	(boundar\$4 near5 align\$4) same load\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 13:50
-	348	(boundar\$4 near5 align\$4) same load\$4	USPAT; US-PGPUB	2004/02/18 13:53

-	45	((boundar\$4 near5 align\$4) same load\$4) and coprocessor	USPAT; US-PGPUB	2004/02/18 13:53
-	1	load\$3 same (boundar\$4 near5 align\$4 near10 depend\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 14:28
-	49	boundar\$4 near5 align\$4 near10 depend\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 15:08
-	418	signal adj process\$4 near15 coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 15:09
-	173	(signal adj process\$4 near15 coprocessor) and (load\$4 near3 (data or instruction or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 15:40
-	99	(signal adj process\$4 near15 coprocessor) and (load\$4 near3 (data or instruction or address)) and operand	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 15:11
-	61	(signal adj process\$4 near15 coprocessor) and (load\$4 near3 (data or instruction or address)) and operand and boundar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 15:11
-	4	(signal adj process\$4 near15 coprocessor) and (load\$4 near3 (data or instruction or address)) and operand and boundar\$3 near7 align\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 15:11
-	2610	word adj boundary	USPAT; US-PGPUB	2004/02/18 15:41
-	37	(word adj boundary) and (loading near word)	USPAT; US-PGPUB	2004/02/18 15:42
-	4	("5638531"   "5821887"   "5831557"   "5857088").PN.	USPAT	2004/02/18 21:01
-	0	6507293.URPN.	USPAT	2004/02/18 21:02
-	1730	coprocessor and boundar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 21:06
-	302	coprocessor and (boundar\$4 near5 align\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 21:15
-	197	(coprocessor and (boundar\$4 near5 align\$4)) and operand\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 21:06

-	297	(coprocessor and (boundar\$4 near5 align\$4)) and load\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 21:07
-	196	((coprocessor and (boundar\$4 near5 align\$4)) and operand\$2) and ((coprocessor and (boundar\$4 near5 align\$4)) and load\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 21:15
-	152	((((coprocessor and (boundar\$4 near5 align\$4)) and operand\$2) and ((coprocessor and (boundar\$4 near5 align\$4)) and load\$4)) and (data adj2 process\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 21:15
-	76	coprocessor and (word adj3 boundar\$4 near3 align\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 21:16
-	38	(((((coprocessor and (boundar\$4 near5 align\$4)) and operand\$2) and ((coprocessor and (boundar\$4 near5 align\$4)) and load\$4)) and (data adj2 process\$3)) and (coprocessor and (word adj3 boundar\$4 near3 align\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 21:43
-	7	("3930232"   "4755965"   "5732005"   "5805475"   "5887183"   "5901316"   "5940311").PN.	USPAT	2004/02/18 21:27
-	16	aldworth.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 21:47
-	1	aldworth.in. and (boundar\$3 near align\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 21:48
-	1	(data adj process\$3) near load\$4 near20 coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 21:58
-	10	(data adj process\$3) near20 load\$4 near20 coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 22:07
-	509	(main adj processor) and coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 22:08
-	173	((main adj processor) and coprocessor) and (data adj processing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 22:08
-	72	((((main adj processor) and coprocessor) and (data adj processing)) and boundar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 22:10

-	6	((main adj processor) and coprocessor) and (data adj processing)) and align\$4 near2 boundar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 22:08
-	15	((main adj processor) and coprocessor) and (data adj processing)) and boundar\$3 and (load\$3 near instruction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 22:10
-	3243	coprocessor same memor\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 17:35
-	18	coprocessor same memor\$3 same (stor\$3 or sav\$3 or hold\$3) near3 operand\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 17:36
-	7	(US-5668984-\$ or US-4317168-\$ or US-5025407-\$ or US-6507293-\$ or US-4547849-\$ or US-4715013-\$).did. or (US-5577200-\$).did.	USPAT; DERWENT	2004/02/22 17:39
-	0	(coprocessor same memor\$3 same (stor\$3 or sav\$3 or hold\$3) near3 operand\$2) and ((US-5668984-\$ or US-4317168-\$ or US-5025407-\$ or US-6507293-\$ or US-4547849-\$ or US-4715013-\$).did. or (US-5577200-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 17:39
-	4	(coprocessor same memor\$3) and ((US-5668984-\$ or US-4317168-\$ or US-5025407-\$ or US-6507293-\$ or US-4547849-\$ or US-4715013-\$).did. or (US-5577200-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/22 17:43
-	58	((data adj processing adj unit) or (signal adj processing adj unit)) same (stor\$3 or sav\$3 or hold\$3) near3 operand\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 09:00
-	2418	sum adj3 absolute near3 difference\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 08:58
-	203	(sum adj3 absolute near3 difference\$2) near4 compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 08:59
-	6	((data adj processing adj unit) or (signal adj processing adj unit)) and ((sum adj3 absolute near3 difference\$2) near4 compar\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 09:15
-	2	5935197.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:09

-	7	(US-4317168-\$ or US-6507293-\$ or US-4715013-\$ or US-4547849-\$ or US-5025407-\$ or US-5668984-\$).did. or (US-5577200-\$).did.	USPAT; DERWENT	2004/03/09 14:27
-	4	((US-4317168-\$ or US-6507293-\$ or US-4715013-\$ or US-4547849-\$ or US-5025407-\$ or US-5668984-\$).did. or (US-5577200-\$).did.) and (coprocessor adj3 memor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 14:43
-	3	((US-4317168-\$ or US-6507293-\$ or US-4715013-\$ or US-4547849-\$ or US-5025407-\$ or US-5668984-\$).did. or (US-5577200-\$).did.) and (coprocessor adj memor\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 23:44
-	20018	(buffer or flipflop or latch) same address\$3 same ((enable or control or read or write) adj2 signal) same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 23:48
-	12725	(buffer or flipflop) same address\$3 same ((enable or control or read or write) adj2 signal) same data	USPAT; US-PGPUB	2004/03/09 23:47
-	0	flipflop near5 address\$3 near5 ((enable or control or read or write) adj2 signal) near5 data	USPAT; US-PGPUB	2004/03/09 23:47
-	0	(mobile adj station) near5 (memory adj access adj controller) near5 (processor or cpu) near5 memor\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:05
-	1	(mobile adj station) near5 (memory adj access adj controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:42
-	4	(mobile adj station) same (memory adj access adj controller)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/10 14:42
-	0	(coprocessor adj memory) near5 (stor\$3 or sav\$3 or buffer\$3 or hold\$3) near3 operand	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 20:29
-	13	(coprocessor adj memory) near5 (stor\$3 or sav\$3 or buffer\$3 or hold\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/13 20:30
-	2	"20010017899"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/15 17:18
-	4	(dsp or (digital adj signal adj process\$4) or (data adj3 process\$4)) near7 (coprocessor or (co adj processor)) near7 (data adj2 word)	USPAT; US-PGPUB	2004/03/16 14:59
-	425	coprocessor adj2 memor\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:44

-	3728	boundary near2 align\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:44
-	239	(data adj word\$1) near5 boundar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 23:27
-	22	align\$4 near3 ((data adj word\$1) near5 boundar\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:45
-	28673	sum near4 difference\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:45
-	12	(boundary near2 align\$4) and (align\$4 near3 ((data adj word\$1) near5 boundar\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:45
-	1	((boundary near2 align\$4) and (align\$4 near3 ((data adj word\$1) near5 boundar\$3))) and ((coprocessor adj2 memor\$3) and (sum near4 difference\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 21:45
-	14	(coprocessor adj2 memor\$3) and (sum near4 difference\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 22:10
-	5	(load\$3 near3 (data adj word\$1)) near5 boundar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 23:34
-	722	piccolo	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 23:34
-	14	piccolo and (load\$4 near3 (word or byte))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 23:38
-	13	(coprocessor near3 memor\$3) and (piccolo and (load\$4 near3 (word or byte)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 23:39
-	31	(sum near3 difference) near7 (byte)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 23:40

-	1	((register near3 address\$2) and ((coprocessor near3 memor\$3) and (piccolo and (load\$4 near3 (word or byte)))) and ((sum near3 difference) near7 (byte)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/16 23:40
-	13	(register near3 address\$2) and ((coprocessor near3 memor\$3) and (piccolo and (load\$4 near3 (word or byte))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 11:22
-	2	5193207.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 14:02
-	2	"20020049894"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 22:35
-	2	"6327647"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/17 22:35
-	353	alignment adj register	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 23:05
-	1	(alignment adj register) near3 coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 22:49
-	1	(alignment adj register) same coprocessor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 22:49
-	13	(alignment adj register) and 711/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 23:04
-	4	(alignment adj register) near5 operand	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 23:04
-	460	alignment near7 operand	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 23:05
-	73	(alignment near7 operand) and 711/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 23:14



-	420	alignment adj value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 23:15
-	41	(alignment adj value) and (boundar\$4 near5 align\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 23:33
-	42	pixel adj value adj matching	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 23:33
-	6	(sum adj3 difference) and (pixel adj value adj matching)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 23:38
-	36	pixel adj block adj matching	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 23:38
-	11	(sum adj3 difference) and (pixel adj block adj matching)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/18 23:38